



























Rubberworx™ hoses and hose fittings provide the ultimate fluid conveyance solutions for a multitude of applications and numerous types of equipment around the world.






	PRODUCTS	PRODUCT DETAILS	HOSE SIZE & PACKAGING
<b>AIR &amp; MULTIPURPOSE HOSE</b>	<b>AIR &amp; MULTIPURPOSE HOSE</b>	Rubberworx multipurpose hoses are engineered for industrial and agricultural applications. With a durable EPDM tube and cover, they withstand a wide range of temperature while maintaining exceptional flexibility.	
	<b>RED MULTIPURPOSE</b> M0011 	<b>RED MULTIPURPOSE 200 PSI EPDM</b>	1/4" to 2" Reels
	<b>RED MULTIPURPOSE</b> M0021 	<b>RED MULTIPURPOSE 250 PSI EPDM</b>	1/4" to 1" Reels
	<b>RED MULTIPURPOSE</b> M0031 	<b>RED MULTIPURPOSE 300 PSI EPDM</b>	1/4" to 1" Reels
	<b>Y, B, G MULTIPURPOSE</b> M0031 Y, B, G 	<b>YELLOW, BLUE, GREEN MULTIPURPOSE 300 PSI EPDM</b>	1/4" to 1" Reels
	<b>BLACK MULTIPURPOSE</b> M0041 	<b>BLACK MULTIPURPOSE 200 PSI EPDM</b>	1/4" to 2" Reels
	<b>BLACK MULTIPURPOSE</b> M0051 	<b>BLACK MULTIPURPOSE 250 PSI EPDM</b>	1/4" to 1" Reels
	<b>BLACK MULTIPURPOSE</b> M0061 	<b>BLACK MULTIPURPOSE 300 PSI EPDM</b>	1/4" to 1" Reels








	PRODUCTS	PRODUCT DETAILS	HOSE SIZE & PACKAGING
AIR & MULTIPURPOSE HOSE	NON-CONDUCTIVE	<b>NON-CONDUCTIVE MULTIPURPOSE HOSE</b>  This premium multipurpose hose is designed for the transfer of air, water, light oils, and chemicals. Its black nitrile tube is nonconductive, with a minimum electrical resistance exceeding 1 megohm per inch of hose length at 1000 volts DC.	
		M0071 	<b>RED NON-CONDUCTIVE MULTIPURPOSE 300 PSI NITRILE</b>  1/4" to 2" Reels
		M0211 	<b>YELLOW NITRILE MULTIPURPOSE 500 PSI</b>  1/4" to 2" Reels
	HEAVY-DUTY	<b>HEAVY-DUTY AIR</b>  Rubberworx heavy-duty air hoses are designed to meet the requirements of high-pressure and rough work site environments. Engineered for durability, our premium hoses offer extended lifespan, making them the perfect choice for your demanding tasks.	
		50021 	<b>WIRE BRAID AIR 600 PSI</b>  1" to 4" Coils
		50031 	<b>HIGH-TEMP WIRE BRAID AIR 600 PSI</b>  3/4" to 4" Coils
		50051 	<b>TEXTILE REINFORCED HEAVY DUTY AIR 300 PSI</b>  1/2" to 4" Coils
	PVC	<b>SPECIALTY &amp; PVC AIR/MULTIPURPOSE HOSE</b>  Rubberworx Specialty & PVC Air/Multipurpose hoses are designed to suit the wide range of applications found both in-plant and on worksites. Crafted from either rubber or high-quality flexible PVC compounds, these hoses are built to meet your toughest requirements.	
		M0121 	<b>BLUE BRAIDED PVC 300 PSI</b>  1/4" to 2" Reels
		M0131 	<b>RED BRAIDED PVC 300 PSI</b>  1/4" to 2" Reels
		M0161 	<b>POLYWIRE PVC TUBING WITH STEEL HELIX</b>  3/8" to 3" 50', 100' Coils










		PRODUCTS	PRODUCT DETAILS	HOSE SIZE & PACKAGING
WATER SUCTION & DISCHARGE	PVC LAYFLAT	<b>PVC LAYFLAT WATER DISCHARGE</b>	Rubberworx PVC water discharge/layflat hoses are not only economical but also engineered for versatile use in construction, dewatering, agricultural, and industrial applications. Extremely lightweight, their PVC tube and cover are designed to manage residual chemicals in water transfer operations.	
		10091 	<b>BLUE PVC DISCHARGE</b>	3/4" to 12" Coils
		10101 	<b>RED PVC DISCHARGE 150 PSI</b>	1-1/2" to 8" Coils
	RUBBER LAYFLAT	<b>RUBBER LAYFLAT WATER DISCHARGE</b>	Rubberworx heavy-duty water discharge hoses are designed for industrial applications, such in construction, dewatering, and agriculture. They feature a tube designed to handle residual chemicals along with an abrasion and ozone-resistant cover ideal for heavy-duty environments.	
		10051 	<b>WATER EPDM DISCHARGE 150 PSI</b>	1/8" to 2" 100', 300' Coils
		10071 	<b>BLACK NITRILE DISCHARGE 150 PSI</b>	1/4" to 2" 100', 300' Coils
		10131 	<b>RUGGED CHILLER DISCHARGE</b>	1-1/2" to 8" Coils







		PRODUCTS	PRODUCT DETAILS	HOSE SIZE & PACKAGING
WATER SUCTION & DISCHARGE	MILL & FIRE	<b>MILL &amp; FIRE</b>	Rubberworx mill and fire hoses are engineered for robustness and durability, and are made for heavy-duty applications in industrial settings such as mills and factories. Versatile in their use, these hoses are ideal for various industrial processes, including water discharge, dewatering, and transfer operations. Despite their rugged construction, Rubberworx mill hoses maintain a manageable weight, ensuring ease of handling and deployment in demanding environments.	
		10191 	<b>SINGLE JACKET FIRE HOSE</b>	1-1/2" and 2" Coils and Cut Lengths
		10201 	<b>DOUBLE JACKET FIRE HOSE</b>	1-1/2" and 2" Coils and Cut Lengths
		10211 	<b>SINGLE JACKET MILL HOSE</b>	1-1/2" to 4" Coils and Cut Lengths
		10221 	<b>DOUBLE JACKET MILL HOSE</b>	1-1/2" to 4" Coils and Cut Lengths
	PRESSURE WASH	<b>PRESSURE WASHER</b>	Our Rubberworx XTREME CLEAN pressure washer hoses are designed to deliver superior performance under high pressure. Available in 4000 PSI and 6000 PSI ratings, these hoses provide exceptional durability, flexibility, and resistance to abrasion, ensuring long-lasting use in even the most demanding environments. Whether you're tackling heavy-duty cleaning or industrial applications, XTREME CLEAN hoses are up to the task.	
		10251 	<b>XTREME CLEAN 1-WIRE 4000 PSI PRESSURE WASHER HOSE</b>	1/4" to 1/2" Reels and Cut Lengths
		10051 	<b>XTREME CLEAN 2-WIRE 6000 PSI PRESSURE WASHER HOSE</b>	1/4" to 1/2" Reels and Cut Lengths







		PRODUCTS	PRODUCT DETAILS	HOSE SIZE & PACKAGING
WATER SUCTION & DISCHARGE	PVC SUCTION	<b>PVC WATER SUCTION</b>	The Rubberworx PVC water suction hoses are engineered for use across construction, dewatering, agricultural, and industrial sectors. These hoses, both lightweight and cost-effective, can managing residual chemicals in water transfer applications under various pressures and temperatures.	
		10012 	<b>PVC REINFORCED WATER SUCTION AND DISCHARGE</b>	1-1/2" to 12" Coils
		10021 	<b>PVC WATER SUCTION AND DISCHARGE - WHITE</b>	3/4" to 12" Coils
		10061 	<b>PVC WATER SUCTION AND DISCHARGE - GREEN</b>	3/4" to 12" Coils
	RUBBER SUCTION	<b>RUBBER WATER SUCTION</b>	Rubberworx's durable rubber suction hoses are designed for various applications, including construction, dewatering, agriculture, and industrial settings. They feature abrasion and ozone-resistant covers suitable for heavy-duty industrial use, with tubes designed to withstand residual chemicals in water transfer processes.	
		10041 	<b>WATER SUCTION AND DISCHARGE 150 PSI</b>	1" to 12" Coils
		10182 	<b>WATER &amp; AGRICULTURAL BLACK &amp; GREEN SUCTION</b>	1" to 6" Coils












		PRODUCTS	PRODUCT DETAILS	HOSE SIZE & PACKAGING
<b>PETROLEUM SUCTION AND DISCHARGE</b>  <b>RUBBER SUCTION &amp; RUBBER DISCHARGE</b>		<b>RUBBER PETROLEUM SUCTION</b>	Rubberworx robust petroleum suction and discharge hoses are manufactured for handling oils, petroleum-based products, and refined fuels. They are suitable for offshore oil transfer, tank truck operations, oilfield transfers, and oil pumping applications.	
	20011		<b>PETROLEUM SUCTION AND DISCHARGE 150 PSI</b>	3/4" to 8" Coils and Cut Lengths
	20022		<b>PETROLEUM TRANSFER 150 PSI - CORRUGATED</b>	1-1/2 to 6" Coils and Cut Lengths
	20031		<b>PETROLEUM TRANSFER 300 PSI</b>	2" to 8" Coils and Cut Lengths
	20042		<b>RED PETROLEUM TRANSFER 150 PSI - CORRUGATED</b>	2" to 4" Coils and Cut Lengths
	20071		<b>RED PETROLEUM DISCHARGE 150 PSI</b>	1-1/2" to 8" Coils
	20162		<b>XFLEX 250 PSI PETROLEUM TRANSFER</b>	2" to 6" Coils and Cut Lengths
	20081		<b>OIL SERVICE DOCK 250 PSI ASSEMBLY ANSI 150# FX X FL</b>	2" to 24" Assemblies in 10', 20', & 25'










		PRODUCTS	PRODUCT DETAILS	HOSE SIZE & PACKAGING
PETROLEUM SUCTION AND DISCHARGE	RUBBER SUCTION & RUBBER DISCHARGE	<b>PETROLEUM DROP</b>	Our tank truck drop hoses are engineered to weigh 50% less than traditional rubber hoses. They are suitable for transporting petroleum gasoline, naphtha, kerosene, light and heavy oil, diesel, ethanol, biofuels, and their vapors. Featuring a rigid PVC helix for less drag, textile reinforcement, a smooth bore, static grounding wire, and a corrugated outer diameter, these hoses offer optimal performance and durability.	
		20172 	<b>GREEN &amp; ORANGE DROP HOSE</b>	2", 3", 4" Coils
		20052 	<b>BIOFUEL URETHANE DROP HOSE</b>	2", 3", 4" Coils
		20072 	<b>NITRILE/PVC BLEND ORANGE &amp; BLACK DROP HOSE</b>	2", 3", 4" Coils
		20092 	<b>YELLOW VAPOR RECOVERY HOSE</b>	2", 3", 4" Coils
		20102 	<b>RED VAPOR RECOVERY HOSE</b>	3" and 4" Coils
	DISPENSING	<b>PETROLEUM DISPENSING</b>	Petroleum dispensing hoses are for use in petroleum, agricultural, & industrial applications.	
		30041 	<b>HYDROCARBON DRAIN HOSE</b>	3/4" and 1" Reels
		30051 	<b>LPG TRANSFER HOSE</b>	3/8" to 2" Reels














PRODUCTS		PRODUCT DETAILS	HOSE SIZE & PACKAGING
OILFIELD PRODUCTS	<b>OILFIELD PRODUCTS</b>	These heavy-duty oilfield suction and discharge hoses are designed for use with unrefined oils, drilling mud, well water, sewage, salt water, and refined fuels. They are intended for use in oilfield services such as tank trucks, oilfield transfer, and pumping applications.	
	60011 	<b>OILFIELD SUCTION AND DISCHARGE 150 PSI - BLUE STRIPE</b>	2" to 6" Coils
	60022 	<b>OILFIELD SUCTION AND DISCHARGE 150 PSI - CORRUGATED</b>	2" to 6" Coils
	60031 	<b>OILFIELD SUCTION AND DISCHARGE 150 PSI - RED STRIPE</b>	1" to 8" Coils and Cut Lengths
	60061 	<b>OILFIELD FRAC DISCHARGE 400 PSI</b>	4" Coils
	60081 	<b>HOT OILER HOSE 2500 PSI</b>	1" to 2" Coils
	60092 	<b>FRAC SOLUTION TRANSFER 150 PSI</b>	2" to 8" Coils and Cut Lengths











		PRODUCTS	PRODUCT DETAILS	HOSE SIZE & PACKAGING
MULTIPURPOSE FOOD & BEVERAGE	MULTIPURPOSE TRANSFER - RUBBER	<b>RUBBER MULTIPURPOSE FOOD &amp; BEVERAGE</b>	Our versatile range of industrial food hoses is designed specifically for food and beverage applications. Manufactured in compliance to industry standards, these hoses ensure the safe and efficient transfer of various food and beverage products.	
		F0012 	<b>FDA NITRILE TUBE, CORRUGATED GRAY COVER</b>	1-1/2" to 4" Coils and Cut Lengths
		F0021 	<b>FDA NITRILE TUBE, SMOOTH WHITE COVER</b>	3/4" to 8" Coils and Cut Lengths
	MULTIPURPOSE TRANSFER - PVC	<b>PVC MULTIPURPOSE FOOD &amp; BEVERAGE</b>	Our versatile range of lightweight PVC food hoses is designed specifically for food and beverage applications. These see-through hoses allow for visual monitoring of material flow and are engineered to meet industry standards, ensuring the safe and efficient transfer of various food and beverage products.	
		F0152 	<b>FDA PVC CLEAR REINFORCED HOSE WITH GRAY HELIX</b>	1-1/2" to 4" Coils and Cut Lengths
		F0171 	<b>FDA PVC CLEAR HOSE WITH CLEAR HELIX</b>	1-1/4" to 6" Coils and Cut Lengths
		F0172 	<b>FDA PVC CORRUGATED CLEAR HOSE WITH CLEAR HELIX</b>	3/4" to 6" Coils and Cut Lengths
		F0182 	<b>FDA PVC CORRUGATED CLEAR HOSE WITH CLEAR HELIX WITH GROUNDING WIRE</b>	1" to 6" Coils and Cut Lengths








		PRODUCTS	PRODUCT DETAILS	HOSE SIZE & PACKAGING
MULTIPURPOSE FOOD & BEVERAGE	MATERIAL HANDLING	<b>FDA MATERIAL HANDLING</b>	Whether you're conveying powders, granules, or other dry materials, trust Rubberworx hoses to deliver superior performance. Engineered with compliance in mind, our hoses guarantee the safe and efficient handling of dry materials, ensuring peace of mind and optimal productivity.	
		F0222 	<b>PTFE FDA USDA 3A FOOD TRANSFER</b>	1" to 4" Coils and Cut Lengths
		F0261 	<b>FLOUR &amp; GRAIN TRANSFER</b>	3" to 5" Coils and Cut Lengths
	SPECIALTY FOOD TRANSFER	40122 	<b>FDA MATERIAL SUCTION</b>	2" to 12" Coils and Cut Lengths
		F0281 	<b>FDA HOT AIR BLOWER</b>	3" Coil and Cut Lengths
		<b>SPECIALTY FOOD TRANSFER</b>	From the rich flavors of beer and wine to the delicate essence of oils and the smooth refinement of alcohol, Rubberworx line of specialty food hoses are tailored to meet your every need. Trust Rubberworx for seamless handling of food and food waste, ensuring both safety and effectiveness in every application.	
		F0031 	<b>BREWERY - CHLOROBUTYL TUBE</b>	3/4" to 4" Coils
		F0041 	<b>WINERY - CRUSH RESISTANT CHLOROBUTYL TUBE</b>	1" to 4" Coils
		F0101 	<b>POTABLE WATER DISCHARGE</b>	2" and 3" Coils
		F0111 	<b>POTABLE WATER TRANSFER</b>	2" and 3" Coils
		F0191 	<b>EDIBLE OIL WASTE</b>	1/2" to 3/4" Reels
		F0201 	<b>EDIBLE OIL</b>	1/2" to 3/4" Reels
		F0211 	<b>PREMIUM EDIBLE OIL PTFE TUBE/SILICONE COVER</b>	1/2" to 3/4" Reels


PRODUCTS		PRODUCT DETAILS	HOSE SIZE & PACKAGING
MULTIPURPOSE FOOD & BEVERAGE	TSC FOOD TRANSFER	Rubberworx TSC Food & Beverage hoses are built on chrome mandrels and Certified 3-A meet the highest to meet the most rigorous applications for a wide wet and dry food transfer applications. 3A and FDA rubber construction of hoses that will meet your requirements for weight, durability, or flexibility.	
	FTS12 	<b>TSC NITRILE HOSE - CORRUGATED, GRAY COVER</b>	1/2" to 5" Coils
	FTS22 	<b>TSC NITRILE HOSE - CORRUGATED, WHITE COVER</b>	1/2" to 5" Coils
	FTS32 	<b>TSC NITRILE HOSE - CORRUGATED, BLUE COVER</b>	1/2" to 5" Coils
	FTS42 	<b>TSC NITRILE HOSE - CORRUGATED, ORANGE COVER</b>	1/2" to 5" Coils
	FTS52 	<b>TSC EPDM HOSE - CORRUGATED, GREEN COVER</b>	1/2" to 5" Coils
	FTSB2 	<b>TSC CHLOROBUTYL HOSE - CORRUGATED, RED COVER</b>	3/4" to 4" Coils
	TSC FOOD WASHDOWN	Food manufacturing and processing facilities demand hoses that meet stringent cleanliness standards and can withstand the rigorous environments they operate in. Look no further than Rubberworx for the specialized hoses required in these applications.	
	FTS71 	<b>WHITE EPDM CREAMERY 300 PSI WASHDOWN</b>	1/2" to 1" Reels
	FTS81 	<b>BLUE NITRILE 300 PSI SANITARY WASHDOWN</b>	1/2" to 1" Reels
	FTS91 	<b>YELLOW OIL RESISTANT 300 PSI SANITARY WASHDOWN</b>	1/2" to 1" Reels

		PRODUCTS	PRODUCT DETAILS	HOSE SIZE & PACKAGING
CHEMICAL TRANSFER	UHMW	<b>CHEMICAL TRANSFER</b>	Rubberworx provides a variety of industrial chemical hoses suitable for plant and tank truck transfers, as well as for paint and agricultural spray applications.	
		80062 	<b>UHMW FDA COMPLIANT TUBE, CORRUGATED GREEN COVER</b>	3/4" to 4" Coils and Cut Lengths
		80202 	<b>UHMW TUBE, CORRUGATED BLACK COVER</b>	3/4" to 4" Coils and Cut Lengths
	XLPE	80021 	<b>XLPE TUBE, SMOOTH GREEN COVER</b>	3/4" to 6" Coils and Cut Lengths
		80212 	<b>XLPE TUBE, CORRUGATED BLACK COVER</b>	3/4" to 6" Coils and Cut Lengths
		80052 	<b>CPE TUBE, CORRUGATED BROWN COVER</b>	1/2" to 4" Coils and Cut Lengths
		80141 	<b>PTFE TUBE, SMOOTH BLUE COVER</b>	1/2" to 4" Coils and Cut Lengths
		80071 	<b>NYLON TUBE FLUID TRANSFER HOSE 750 PSI</b>	1/4" to 1" Reels
	OTHER	80151 	<b>PVC AG SPRAY 600 PSI</b>	3/8", 1/2" Reels
		80161 	<b>PVC AG SPRAY 800 PSI</b>	3/8" to 3/4" Reels
		8P011 	<b>100R14 PTFE WITH STAINLESS STEEL BRAID</b>	1/8" to 1" 50', 100' Coils
		8P021 	<b>PTFE CONVOLUTED WITH STAINLESS STEEL BRAID</b>	1/4" to 3" 50', 100' Coils



	PRODUCTS	PRODUCT DETAILS	HOSE SIZE & PACKAGING
MATERIAL HANDLING & MINING	<b>MATERIAL HANDLING &amp; MINING</b>	Rubberworx offers a range of material handling hoses designed to meet the rigorous demands of mines and processing facilities. These hoses excel in transferring dry or wet materials, whether sharp and hard or mulch-like. With exceptional wear resistance and durability, our hoses are engineered to thrive in the most challenging environments.	
	40011 	<b>DRY CEMENT - 1/4" TUBE</b>	4" Coils
	40021 	<b>DRY CEMENT - 1/8 TUBE</b>	4", 4-1/2", 5" Coils
	40031 	<b>DRY CEMENT - 3/16" TUBE</b>	4", 4-1/2", 5" Coils
	40231 	<b>TEXTILE CONCRETE PUMPING HOSE</b>	4", 4-1/2", 5" Coils
	40081 	<b>SANDBLAST - 2 PLY</b>	1/2" to 2" 50' Cut Lengths
	40091 	<b>SANDBLAST - 4 PLY</b>	1/2" to 2" 50' Cut Lengths
	40172 	<b>HEAVY DUTY BLACK SBR TUBE WITH PVC HELIX</b>	4", 6", 8" Coils and Cut Lengths
	40182 	<b>BLACK URETHANE TUBE MATERIAL TRANSFER</b>	1-1/2" to 8" Coils and Cut Lengths
	40192 	<b>BLUE HD URETHANE TUBE MATERIAL TRANSFER</b>	1-1/2" to 8" Coils and Cut Lengths
HOT AIR BLOWER	40071 	<b>HOT AIR BLOWER HOSE</b>	2", 3", 4" Coils and Cut Lengths

	PRODUCTS	PRODUCT DETAILS	HOSE SIZE & PACKAGING
STEAM HOSE	<b>ABRASIVES</b>  <b>EPDM STEAM</b>	Rubberworx's steam hose is engineered to withstand high pressures and temperatures, making it ideal for various industrial applications including heating and cleaning tasks in sectors such as petrochemical, paper and pulp, and other industrial settings.	
		70011  <b>EPDM CRIMPABLE STEAM HOSE</b>	3/4" to 2" Reels or Cut Lengths
		70041  <b>EPDM STEAM HOSE</b>	3/4" to 2" Reels or Cut Lengths
TUBING	<b>TUBING</b>  <b>TUBING</b>	Rubberworx's PVC tubing adheres to FDA regulations, ensuring compliance, while also being cadmium-free and offering excellent resistance to various chemicals. Its exceptional flexibility, coupled with its transparent design, allows for easy monitoring of material flow. Additionally, it is available with reinforcement and a helical wire for suction applications.	
		1015  <b>CLEAR FDA TUBING</b>	1/8" to 2" Coils
		1017  <b>CLEAR FDA BRAIDED TUBING</b>	1/4" to 2" Coils
		M0161  <b>WIRE REINFORCED TUBING</b>	3/8" to 3" Coils
METAL	<b>METAL HOSE</b>  <b>METAL HOSE</b>	When applications are severe, Rubberworx provides metal hoses engineered to endure challenging conditions, guaranteeing efficient and safe material transfer. Available in various sizes, these hoses are meticulously crafted with precision and durability as top priorities.	
		X0031  <b>316/304 SINGLE BRAID</b>	1/4" to 2" Reels
		X0041  <b>316/304 DOUBLE BRAID</b>	1/4" to 2" Reels

	PRODUCTS	PRODUCT DETAILS	HOSE SIZE & PACKAGING
COMPOSITE HOSE	ABRASIVES	<b>COMPOSITE HOSE</b>  Transform how you handle liquids with Rubberworx composite hoses. Engineered to tackle demanding tasks effortlessly, they provide light weight flexibility, durability, and safety for a wide range of applications.	
	WATER	1C012  <b>WATER TRANSFER</b>	2" to 12" Coils
	PETROLEUM	2C012  <b>GG PETROLEUM TRANSFER HOSE</b>	1" to 12" Coils
		2C022  <b>GA PETROLEUM TRANSFER HOSE</b>	1" to 12" Coils
		2C032  <b>PG PETROLEUM TRANSFER HOSE</b>	1" to 12" Coils
		2C042  <b>GG BIO-PETROLEUM HOSE</b>	1" to 12" Coils
		2C052  <b>GP VAPOR RECOVERY HOSE</b>	2" to 12" Coils
		8C012  <b>GP CHEMICAL TRANSFER HOSE</b>	1" to 12" Coils
		8C022  <b>SP CHEMICAL TRANSFER HOSE</b>	1" to 12" Coils
		8C032  <b>SS CHEMICAL TRANSFER HOSE</b>	1" to 4" Coils
	CHEMICAL	8C082  <b>HT CHEMICAL TRANSFER HOSE</b>	1" to 12" Coils

	PRODUCTS	PRODUCT DETAILS	HOSE SIZE & PACKAGING
DUCTING	<b>DUCTING</b>	Rubberworx ducting hoses are engineered to meet the rigorous demands of industrial environments. Designed with precision and durability as priorities, our ducting hoses guarantee optimal airflow efficiency and meet temperature standards for effective air quality management.	
	D0012 	<b>ECOAIR STANDARD DUCTING - WHITE/WHITE</b>	6" to 24" Boxed
	D0022 	<b>INSULATED DUCTING - WHITE/WHITE</b>	12" to 24" Boxed
	D0032 	<b>RETURN DUCTING - GREEN/BLACK</b>	20" Boxed
	D0042 	<b>RETURN DUCTING - WHITE/ORANGE</b>	20" Boxed
	D0052 	<b>STANDARD DUCTING - YELLOW/BLACK</b>	10" to 24" Boxed
	D0062 	<b>HEATER DUCTING - BLACK/BLACK</b>	12" to 24" Boxed
AUTOMOTIVE	<b>SILICONE AUTOMOTIVE</b>	Engineered for durability, flexibility, and optimal performance, Rubberworx silicone hoses are the ultimate solution for your automotive needs. With superior resistance to temperature extremes, pressure, and environmental factors, our hoses provide peace of mind and unmatched performance.	
	A0021  RUBBERWORX™ SILICON COOLANT HOSE	<b>3 PLY BLUE SILICONE COOLANT HOSE</b>	3/8" to 6" 3' and 12' Cut Lengths, Boxed
	A0041  RUBBERWORX™ SILICON HEATER HOSE 80 PSI	<b>STANDARD BLUE SILICONE HEATER HOSE</b>	1/4" to 1-1/4" 25', 50', 100' Cut Lengths, Boxed
	A0051  RUBBERWORX™ SILICONE HEATER HOSE	<b>HD GREEN SILICONE HEATER HOSE</b>	1/4" to 1-1/4" 25' and 50' Cut Lengths, Boxed